

AD-A038 363

AIR FORCE PACKAGING EVALUATION AGENCY WRIGHT-PATTERSON--ETC F/G 13/4
PRESSURE TEST OF PPP-C-96 CANS.(U)
FEB 77 R T GIBBONS
PTPN-77-9

UNCLASSIFIED

OF 1

AD
A038 363



END

DATE
FILMED
5-77

NL

AD A 038363

APPROVED FOR PUBLIC RELEASE
DISTRIBUTION UNLIMITED

PTPD REPORT NO. 77-9
AFPEA PROJECT NO. 77-P7-8

RICHARD T. GIBBONS

Mechanical Engineer

AUTOVON 787-3120
Commercial (513) 257-3120

PRESSURE TEST OF PPP-C-96 CANS

AFALD/PTPD
AIR FORCE PACKAGING EVALUATION AGENCY ✓
Wright-Patterson AFB OH 45433

February 1977

AD NO.
DDC FILE COPY.



NOTICE

When government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related government procurement operation, the United States Government thereby incurs no responsibility whatsoever; and the fact that the government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto. This report is not to be used in whole or in part for advertising or sales purposes.

ABSTRACT

The Air Force Packaging Evaluation Agency (AFPEA) is aware that overprotection is a costly condition that exists in some packaging applications. In an attempt to find lower cost packaging that is qualified to provide equal protection within a certain limit, most cost effective containers are currently being investigated. One such type of container was sent to the AFPEA from Ogden ALC, Hill AFB UT, to determine if this sample was structurally designed to withstand 15 psig pressure without leaking. All container specimens (four each) tested under this project were found to be adequate. There were no leaks found when tested according to the appropriate military specifications.

ACCESSION for	
HTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION.....	
BY.....	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL
A	

DDC
RECEIVED
APR 19 1977
RECEIVED
D

PREPARED BY:

Richard T. Gibbons
RICHARD T. GIBBONS
Mechanical Engineer
Design Division

PUBLICATION DATE:

February 1977

REVIEWED BY:

Ralph Zynda
RALPH ZYND
Chief, Design Division
Air Force Packaging
Evaluation Agency

APPROVED BY:

Jack E. Thompson
JACK E. THOMPSON
Director, Air Force
Packaging Evaluation Agency

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

INTRODUCTION

Personnel from OO-ALC/DSTC, Hill AFB UT requested the Air Force Packaging Evaluation Agency (AFPEA) to perform pressurized test on a sample of PPP-C-96 cans. These cans are used to package MXU-4A/A and MXU-129/A jet engine starter cartridges.

Four of the PPP-C-96 cans were received on 3 February and testing was completed 17 February 1977.

PROCEDURE

Each of the four cans were fitted with an air inlet and connection outlet for multiple testing. Each container was tested in turn and then multiple container tests were conducted to verify accuracy. During each test, air was supplied to the specimen container at a pressure of 15 psig. This was accomplished to comply with requirements stated in MIL-D-6054, para 4.5.1, procedure A. The test was conducted on each container three separate times, all with similar results.

RESULTS

Test results are as follows:

PRESSURE TEST OF PPP-C-96 CANS *

ELAPSED TIME (MIN)	PRESSURE (PSIG)			
	CAN #1	CAN #2	CAN #3	CAN #4
0	15.00	15.0	15.0	15.0
5	14.75	14.65	14.65	14.55
10	14.50	14.35	14.40	14.30
15	14.30	14.25	14.20	14.15
20	14.15	14.15	14.15	14.05
25	14.05	14.10	14.10	14.00
30	14.00	14.00	14.05	13.90

* At the beginning of each time interval the subject can was rotated under water through each axis.

There was a very gradual pressure drop in each can over the thirty minutes test time. However, no bubbles were observed that would indicate air escaping from the container.

At conclusion of this test, the containers were connected in series for an extended period of time, again under 15 psig pressure. No leaks or bubbles were observed.

DISCUSSION

A uniform air leak was identified in each system used during the test. There was, however, no evidence of air bubbling from any of the containers. The air supply system leak probably caused the thirty minute pressure drop, although, this slight pressure drop might also be caused by flexible line expansion due to the pressure involved. The system pressure drop was verified and the pressure drop recorded without a container on line was identical to that with the container connected.

Acceptance testing of the four containers indicate only how they would react under 15 psig pressure. In light of the fact that PPP-C-96 cans are not usually tested to 15 psig some type of quality control/assurance must be maintained for all future procurement of these cans if they are to be used for this high pressure application.

DISTRIBUTION LIST

HQ USAF/LGTN Washington DC 20330	2
Defense Documentation Center	12
Tobyhanna Army Depot/DRXTO-TP-S Tobyhanna PA 18466	2
AFSC/LGT	1
OO-ALC/DSTC Hill AFB UT 84406	6
OC-ALC/DSP Tinker AFB OK 73145	2
SA-ALC/DSP Kelly AFB TX 78241	2
SM-ALC/DSP McClellan AFB CA 95652	2
WR-ALC/DSP Robins AFB GA 31098	2
DCASR/DCRS-PS 1136 Washington Ave St Louis MO 63101	3
ADTC/SDMT Eglin AFB FL 32542	1
JMPTC Aberdeen Proving Ground MD 21005	2
Commander US Army Natick R&D Ctr/DRXNM-EPs Natick MA 01760	1
DESC/LQP 1507 Wilmington Pike Dayton OH 45444	1
AFALD/PT	1
AFLC/LO	1
AFALD/PTP Library	10

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFALD/PTPD Report No. 77-9	2. GOVT ACCESSION NO. 9	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) PRESSURE TEST OF PPP-C-96 CANS	5. TYPE OF REPORT & PERIOD COVERED Engineering and Test Data <i>kept</i> February 1977	
7. AUTHOR(s) RICHARD T. GIBBONS Mechanical Engineer	6. PERFORMING ORG. REPORT NUMBER PTPD No. 77-9	8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS AFALD/PTPD WPAFB OH 45433	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS AFALD/PTPD WPAFB OH 45433	12. REPORT DATE February	13. NUMBER OF PAGES 5
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) PTPD-77-9	15. SECURITY CLASS. (of this report) Unclassified	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release. Distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Packaging Cans Pressure Test Containers Starter Cartridges		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Air Force Packaging Evaluation Agency (AFPEA) is aware that overprotection is a costly condition that exists in some packaging applications. In an attempt to find lower cost packaging that is qualified to provide equal protection within a certain limit, most cost effective containers are currently being investigated. One such type of container was sent to the AFPEA from Ogden ALC, Hill AFB UT, to determine if this sample was structurally designed to withstand 15 psig pressure without leaking. All container specimens (4 ea) tested under		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

403519

5

4/B

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

this project were found to be adequate. There were no leaks found when tested according to the appropriate military specifications.